44 In. Front Blade (For LT and LTR)

Equipment for Base Machine

44 In. Wide, Heavy Gauge, Curved Blade

Reinforcing Angle on Back of Blade

Two Adjustable Skid Shoes Three-Angle Positioning Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
9480M		44 In. Front Blade (For LT and LTR) Rear Weights and Tire Chains are Recommended for Additional Traction.	499.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20796	Miscellaneous: Lift Assist Kit Available for LT150, LT160, and LT170 to Reduce Effort to Raise Front Blade by 40%. Order BM20796 Lift Assist Kit for LT180 if Tractor was Ordered "Less Mower" and is not already Equipped with the Internal Lift Assist Spring (M134323).	44.00
	BM21360	Retro-Fit Kit Required for Hand-Lift Tractors	75.00
	AM132109	Rubber Blade Squeegee Kit	See Parts
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
	TY24327	Tire Chains for 22x11-10 In. Tuf Tires	See Parts
	BM19123	Weights: 31 Lb. Plastic Rear Wheel Weights	58.00
	R66949	Quik-Tatch Weight, 42 Lb. Not for LTR166 or LTR180	45.00
	BM21432	Rear Weight Bracket Kit Requires Two R66949 Quik-Tatch Weights Not for LTR166 or LTR180	96.00

44 In. Front Blade (For LX, GT and GX255)

Equipment for Base Machine

44 In. Wide, Heavy Gauge, Curved Blade Two Adjustable Skid Shoes Reinforcing Angle on Back of Blade Three-Angle Positioning

R66949

BM17296

Quik-Tatch Weight, 42 Lb.

For LX280 AWS

Rear Weight Mounting Kit (LX Series)

Height Controlled by Manual Foot Lift on Tractor Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
9561M		44 In. Front Blade (For LX, GT and GX255) Rear Weights and Tire Chains are Recommended for Additional Traction. Hand Lift Tractors Require BM21360 Retro-Fit Kit.	529.00
		ATTACHMENTS - ORDER AS DESIRED	
		ATTACHMENTS FOR FIELD CONVERSION	
	BM19797	Miscellaneous: Adapter Kit for LX277 AWS and LX280 AWS	28.00
	BM21360	Retro-Fit Kit Required for Hand-Lift Tractors	75.00
	AM132109	Rubber Blade Squeegee Kit	See Parts
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
	TY24327	Tire Chains for 22x11-10 In. Tuf Tires	See Parts
	D66040	Weights:	45.00

45.00

73.00

48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)

Equipment for Base Machine

CHCCECTED

48 In. Wide, Heavy Gauge, Curved Blade Two Adjustable Skid Shoes Replaceable Cutting Edge Reinforcing Angle on Back of Blade Easy-On, Easy-Off Mounting Five-Angle Positioning Spring Breakaway with Lock

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
3481M		48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors) Operator's Manual is Packaged with Attaching Parts Bundle.	629.00
		One 50 Lb. Plastic Wheel Weight on each Rear Wheel or up to Four 42 Lb. Quik-Tatch Weights Recommended for Additional Traction. Tire Chains helpful when Blading Snow.	
		LIFT KIT	
1000		Front Implement Lift Kit (GT with Hand Lift) GT242, GT262, GT275 require two M132142 Brackets, two 19M7789 Bolts and two 14M7466 Nuts.	89.00
1001		Front Implement Lift Kit (325, 335, 345, 355D)	72.00
1002		Front Implement Lift Kit (240-285,320) When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.	99.00
1003		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	72.00
1004		Front Implement Lift Kit (GT and GX255 with Foot Lift)	104.00
1010		Less Front Implement Lift Kit	In Base Price
		ATTACHING PARTS	
2001		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345,GX355) 240-285, 320 Tractors Require 24M7053 Washers.	32.00
2002		Attaching Parts (GT and GX255)	42.00
2010		Less Attaching Parts	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM19218	ATTACHMENTS FOR FIELD CONVERSION Continued Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) 240-285, 320 Tractors Require six 24M7053 Washers.	35.00
	BM21340	Attaching Parts (GT and GX255)	45.00
	BM16733	Front Implement Lift Kit (240-285,320) When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.	107.00
	BM19996	Front Implement Lift Kit (325, 335, 345, 355D)	78.00
	BM20781	Front Implement Lift Kit (GX325, GX335, GX345, GX355)	78.00
	BM21337	Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) (LX, GT and GX255 with Foot Lift) (LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.	111.00
	BM18977	Front Implement Lift Kit (LX/GT with Hand Lift) GT242, GT262, GT275 require two M132142 Brackets, two 19M7789 Bolts and two 14M7401 Nuts.	96.00
	AM119321	Heavy Duty Skid Shoe (1)	See Parts
	BM21341	Manual Angling Kit (GT, 240-285, 320, 325, 335, 345, 355D, GX) For 240-285, 320 Tractors, Order one AM103783 Bracket, one 19M7866 Bolt and one 14M7401 Nut.	185.00
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
	BM17976	Weights: 50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware <i>Use of Two Weights is Recommended.</i>	55.00
	R66949	Quik-Tatch Weight, 42 Lb. Use of Four Weights is Recommended.	45.00

54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)

Equipment for Base Machine

54 In. Clearing Width
"Straight"
48 In. Clearing Width
"Fully Angled"
Replaceable Cutting Edge
Heavy 11-Gauge, Curved Blade
Angled Left or Right Up
to 27 Degrees

Two Adjustable Skid Shoes Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin Less Front Hitch Less Hydraulic Angling

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
1491M		54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors) <i>X700, X465, X475 and 425 Require BM20761 Hydraulic Coupler Kit.</i>	505.00
		Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.	
		See Sales Manual for Ballast Requirements.	
		FRONT QUICK-HITCH	
1000		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	577.00
1001		Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	598.00
1006		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	614.00
1007		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 2720, 4010, 4100, 4110, 4115)	658.00
1010		Less Front Quick-Hitch	In Base Price
		HYDRAULIC ANGLING (REQUIRED FOR OPERATION)	
2000		Hydraulic Angling (For X400/X500 HDGT's, X700's) BM20761 Hydraulic Coupler Kit Required on X700, X465 and X475.	178.00
2001		Hydraulic Angling (425, 445, 455) BM20761 Hydraulic Coupler Kit Required on 425 Tractor.	154.00
2005		Hydraulic Angling (2210, 2305)	179.00
2006		Hydraulic Angling (2320, 2520, 2720, 4010, 4100, 4110, 4115)	184.00
2010		Less Hydraulic Angling	In Base Price

ATTACHMENTS - ORDER AS DESIRED

54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9100		ATTACHMENTS - ORDER AS DESIRED Continued European CE Kit: European CE Certification Kit	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20921	Front Hitch: Front Quick-Hitch and Hydraulic Lift (2305) Fits also 2210 Tractors (for 47SB only).	658.00
	LVB24898	Front Quick-Hitch and Hydraulic Lift (2320, 2720) Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.	705.00
	BM17347	Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	640.00
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	618.00
	LV/D24004	Hydraulics:	407.00
	LVB24901	Hydraulic Angling (2320, 2520, 2720, 4010, 4100, 4110, 4115)	197.00
	BM17650	Hydraulic Angling (415, 425, 445, 455)	165.00
	BM20837	Hydraulic Angling (X400/X500 HDGT's, X700's)	190.00
	BM20922	Hydraulic Angling Kit (2210, 2305)	192.00
	BM20761	Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.	49.00
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	LVB25302	Front Attaching Support Kit For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB25396	Front Attaching Support Kit (2305) Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB24895	Front Attaching Support Kit (2320) See Sales Manual for Front Attaching Support Requirements.	68.00
	LVB25293	Front Attaching Support Kit (4010) See Sales Manual for Front Attaching Support Requirements.	74.00
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2320-2720) Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 2720, 4115).	114.00
	AM119321	Heavy Duty Skid Shoe (1)	See Parts
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.	See Parts

54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)

\sim							
C	\sim	n	tı	n	11	\sim	^
	w		и		u	▭	ι.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	TY15845	ATTACHMENTS FOR FIELD CONVERSION Continued Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	See Parts
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	See Parts
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	See Parts
	BM22725	Wheel Spacer Kit For all Wheel Steer Tractors when Installing TY15956 Chains.	141.00
		Order Zone: For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the C&CE Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "John Deere Order Zone". Customers must contact your local JD Dealer.	
	LP54000	54 In. Tractor Shovel For X400/X500 HDGT's and X700's Only. Go to Order Zone for Specific Requirements.	In Catalog
	BM20715	Weights: Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	253.00
	R66949	Quik-Tatch Weight, 42 Lb.	45.00
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	140.00

60 In. Hydraulic Angling Mid-Mount Blade (For X400/X500 HDGT and X700 Series Garden Tractors)

Equipment for Base Machine

Hydraulic Lift and Angling 60 In Clearing Width "Straight" 55 In. Clearing Width "Fully Angled" Heavy .12-In. Thick Steel Curved Blade 25 Degree Angling Left

and Right
Above Ground Level is 4-In.
Below Ground Level is 6-In.
Replaceable Cutting Edge
Easy On-Off Attachability

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
9700M		60 In. Hydraulic Angling Mid-Mount Blade (For X400/X500 HDGT and X700 Series Garden Tractors) Cannot be Used with all Wheel Steer Tractors, Mower Decks and Powered Front Attachments.	730.00
		BM20761 Hydraulic Coupler Kit is Required for the X700, X465 and X475 Tractor. Requires either BM20714 Click-N-Go or BM21263 3-PT. Hitch for Installation.	
		ATTACHMENTS FOR FIELD CONVERSION	
	BM22286	Hitch: 3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	567.00
	BM20761	Hydraulics: Hydraulic Coupler Kit Required for the X465 and X475 Tractor.	49.00
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00

ROPS Hard Cab (For X400/X500 HDGT and X700 Series Garden Tractors)

Equipment for Base Machine

Modular Design ROPS Certified Steel Doors Sliding Glass Windows Safety Glass Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	_
9354M		ROPS Hard Cab (For X400/X500 HDGT and X700 Series Garden Tractors) Not Compatible with 45 Loader. Cab is Shipped in two Boxes.	3,720.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20990	Miscellaneous: Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) Replaces Standard 20 Amp Alternator Recmmended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).	447.00
	BM23194	Auxiliary Alternator Kit (X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	348.00
	BM20931	Exterior Rear View Mirror Kit (Set of 2)	99.00
	BM21480	Heater, Tuck-Away	396.00
	BM20932	Strobe Light	131.00
	BM20930	Switch Panel Kit/Fuse Block	225.00
	BM20934	Wiper, Electric	186.00

ROPS Soft Cab (For X400/X500 HDGT and X700 Series Garden Tractors)

Equipment for Base Machine

Modular Design ROPS Certified Vinyl Doors Clear Vinyl Windows Clear Vinyl Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
9355M		ROPS Soft Cab (For X400/X500 HDGT and X700 Series Garden Tractors) Is compatible with 45 Loader.	2,595.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20990	Miscellaneous: Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).	447.00
	BM23194	Auxiliary Alternator Kit (X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	348.00
	BM20931	Exterior Rear View Mirror Kit (Set of 2)	99.00
	BM21480	Heater, Tuck-Away	396.00
	BM20932	Strobe Light	131.00
	BM20930	Switch Panel Kit/Fuse Block	225.00
	BM20934	Wiper, Electric	186.00

Weather Enclosure (For X400/X500 HDGT and X700 Series Garden Tractors)

Equipment for Base Machine

16 Gauge Steel Tubing Construction Molded Plastic Roof Vinyl Fabric Doors and Sides Lexan Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Weather Enclosure	
		Weather Enclosure is not Modular Design, not ROPS Certified and no Wiper as Standard Equipment.	
BM20482		Soft Weather Enclosure	969.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20923	Miscellaneous: Windshield, Safety Glass	192.00
	BM20925	Wiper, 12V Electric Requires BM20923 Windshield	199.00

10K PTO Generator (For X400/X500 HDGT and X700 Series Garden Tractors)

Equipment for Base Machine

3-Point Hitch Point Mounted 540 RPM PTO Drive System 10,560 Watts Peaks, 9,600 Watts Continuous Power (4) 20 Amp GFCI Protected 120 Volt Outlets (1) 40 Amp NEMA 6-50 240 Volt Receptacle AC Voltmeter

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
3950M		10K PTO Generator (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Category 1 3-Point Hitch and 540 RPM Rear PTO Drive.	2,189.00
		DRIVE SHAFT	
1000		Drive Shaft for 10K PTO Generator (For X400/X500 HDGT's, X700's)	173.00
1010		Less Drive Shaft	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	BM22286	Hitch: 3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	567.00
	BM21914	Miscellaneous: 540 RPM Rear PTO Drive (X700's) Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.	859.00
	BM20887	Driveshaft for 10K PTO Generator (X400/X500 HDGT's, X700's)	186.00

45 Loader (For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors, Not for X465 Model)

Equipment for Base Machine

Lift Height: 73" Lift Capacity: Boom Breakout Force 770 Lbs.(349 kg) 640 Lbs.(290 kg) to 385 Lbs.(175 kg) to Maximum Lift Height Bucket Rollback Force
@ Ground Line 740 Lbs. (336 kg)

Bucket Width - 48" (122 cm)Bucket Capacity (Struck) 5.0 Cu. Ft. Integral Parking Support Cylinder Diameter Lift - 1.5" (38 mm) Bucket - 1.75" (44 mm) Quik-Tatch Mounting Hoses and Couplers Tractor Transaxle

Hydrostatic Pressure Relief Valve

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3990M 45 Loader (For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors,

Not for X465 Model)

Tractor ballasting required. See operator's manual/sales manual.

X475 and the X700 model require BM20761 Hydraulic

Coupler Kit. Requires AM131526 Hydraulic Cylinder Lock-Out Valve (must order from parts). Requires Transaxle Hydrostatic Relief Valve

(included with loader).

TRANGAYI	LE HYDROSTATIO	PELIEF VALVE
IVANOAVI		, NELIEF VALVE

1000	2WD Transaxle Hydrostatic Relief Valve (X400 HDGT's, X700, X720, X740)	Same Price
1001	4WD Transaxle Hydrostatic Relief Valve (X500 HDGT's, X728, X748)	In Base Price
	Ballast Box	
2000	Ballast Box (Click-N-Go) Requires BM20714 Click-N-Go Bracket	236.00
2002	Ballast Box (Category 1 3-Pt. Hitch)	236.00
2010	Less Ballast Box	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Hitch:

BM22286 3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)

567.00

3,420.00

45 Loader (For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors, Not for X465 Model)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	M146148	ATTACHMENTS FOR FIELD CONVERSION Continued Hydraulics: Free-Wheeling Valve Control Lever Included with loader. Must be installed with Transaxle Hydrostatic relief valve on any X400/X500 HDGT or X700 Series Tractor equipped with a Loader.	See Parts
	AM134625	Hydraulic Cylinder Lockout Valve	See Parts
	BM22220	Regenerative Bucket Kit	63.00
	BW15043	Transaxle Hydrostatic Relief Valve Included with Loader. Must be Installed on any X400 Series Tractor Equipped with a Front End Loader. Requires M146148 Free-Wheeling Valve Control Lever.	138.00
	BW15044	Transaxle Hydrostatic Relief Valve Included with Loader. Must be Installed on any X500 Series HDGT, X728 or X748 Tractor Equipped with a front end loader. Requires M146148 Free-Wheeling Valve Control Lever.	138.00
	BM17981	Miscellaneous: 12 Volt Work Light Kit	45.00
	BW15041	48 In. Bucket For Replacement Only.	497.00
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	AM131526	Hydraulic Cylinder Lockout Valve	See Parts
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1) Requires BM17985 Wheel Weight Mounting Hardware Kit.	107.00
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	55.00
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	152.00
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	259.00
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	253.00
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	26.00
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	11.00
	R66949	Quik-Tatch Weight, 42 Lb.	45.00
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	140.00

7 Bu. Rear Bagger (For Riding Mowers)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy

Installation and Removal Air Flow Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20452	ATTACHMENTS FOR FIELD CONVERSION Material Collection System Hoppers: 7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute. Front Ballast is Required when Bagging. Order BM17963, Front Weight Kit and BM17979, Weight Mounting Hardware.	399.00
	BM20384	Material Collection System Power Flow/Rear Bagger Chutes: Rear Bagger Chute for 30 In. and 38 In. Mowers	64.00
	BM17963	Miscellaneous: Front Weight Kit	123.00
	BM17979	Weight Mounting Hardware	9.00

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For STX38 and STX46 Lawn Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal Air Flow Indicator BLOWER ASSEMBLY: Easy Installation and Removal Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20453	Material Collection System Hoppers: 7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute, or Blower Assembly and Power Flow Chute.	399.00
	BM16659	Material Collection System Power Flow Blowers: Blower Assembly-38 In. Mower (Yellow) STX38 (- 210,000).	489.00
	BM20988	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute	66.00
	BM20982	Rear Bagger Chute for 38 In. Mowers	66.00
	M83459	Mower Deck and Mower Deck Attachments: High Lift Mower Blade (38 In. Mower)	See Parts
	AM103851	Mower Lip Kit (Left), 38 In. Mower	See Parts
	AM103852	Mower Lip Kit (Right Rear), 38 In. Mower	See Parts

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For LT Lawn Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

BLOWER ASSEMBLY: For 48 In. and 54 In. Mowers Easy Installation and Removal Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20454	ATTACHMENTS FOR FIELD CONVERSION Material Collection System Hoppers: 7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.	399.00
	BM20004	Material Collection System Power Flow Blowers: QT Blower Assembly for 38 In. Mower	537.00
	BM21380	QT Blower Assembly for 48C Mower (LT166, LT180, LT190)	473.00
	BM20988	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute	66.00
	BM20942	Rear Bagger Chute - 42C Mower, LT Only	82.00
	BM20493	Rear Bagger Chute 38 In. Mower, LT Only	63.00
	AM115595	Mower Deck and Mower Deck Attachments: 48 In. Rear Lip Kit (1992 and prior)	See Parts
	BM20548	48C Adverse Condition Baffle Kit May reduce clipping drop when used with BM19893 Blower Assembly in damp conditions.	28.00
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	34.00
	M135589	Hi Lift Blade For 48 In. Mower	See Parts
	M83459	High Lift Mower Blade (38 In. Mower)	See Parts
	M145970	High Lift Mower Blade (42C Mower) For LT Lawn Tractor.	See Parts
	BM19894	Mower Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	89.00
	AM103851	Mower Lip Kit (Left), 38 In. Mower	See Parts
	AM103852	Mower Lip Kit (Right Rear), 38 In. Mower	See Parts

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal Air Flow Indicator BLOWER ASSEMBLY: For 48 In. and 54 In. Mowers Easy Installation and Removal Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20455	ATTACHMENTS FOR FIELD CONVERSION Material Collection System Hoppers: 7 Bushel Hopper Assembly For LX172-LX188 and LX255, LX266, LX277, LX277 AWS, LX280 AWS and LX288 Lawn Tractors. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. LX277 AWS and LX280 AWS Requires BM19797, Adapter Kit.	399.00
	BM20456	7 Bushel Hopper Assembly For LX280 (Not LX280 AWS) and LX289. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.	399.00
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) Requires BM21681 Power Flow Chute.	499.00
	BM22697	54C/54X High-Performance Blower Assembly (X300/X500 M-T/X700) Requires BM21681 Power Flow Chute.	499.00
	BM19089	Blower Assembly for 48 In. Mower Not for 48C Mower. Requires BM20988 Power Flow Chute.	473.00
	BM19090	Blower Assembly for 54 In. Mower Not for 54C Mower. Requires BM20988 Power Flow Chute.	473.00
	BM16659	Blower Assembly-38 In. Mower (Yellow) Use for LX277 AWS only and LX280 AWS. Requires BM20988 Power Flow Chute.	489.00
	BM18770	QT Blower Assembly for 38 In. Mower (Yellow 38 In. Decks) Not for use on LX277 AWS or LX280 AWS. Requires BM20988 Power Flow Chute.	523.00
	BM20988	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute	66.00
	BM21681	Power Flow Chute (7 bu.) For 48C, 48X, 54C or 54X Series Blowers.	102.00
	BM20982	Rear Bagger Chute for 38 In. Mowers	66.00
	BM19649	Rear Bagger Chute for 42 In. Convertible Mower (42C) For LX255-LX289, except LX277 AWS and LX280 AWS.	80.00

Miscellaneous:

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM19797	ATTACHMENTS FOR FIELD CONVERSION Continued Adapter Kit for LX277 AWS and LX280 AWS	28.00
	AM115595	Mower Deck and Mower Deck Attachments: 48 In. Rear Lip Kit (1992 and prior)	See Parts
	BM20548	48C Adverse Condition Baffle Kit May reduce clipping drop when used with BM19439 Blower Assembly in damp conditions.	28.00
	M139977	Bagging Mower Blade (42C Mower)	See Parts
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	34.00
	M135589	Hi Lift Blade For 48 In. Mower	See Parts
	M83459	High Lift Mower Blade (38 In. Mower)	See Parts
	M145970	High Lift Mower Blade (42C Mower)	See Parts
	BM20985	Leaf Bagging Kit (54C/54X Mower)	111.00
	BM19894	Mower Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	89.00
	AM103851	Mower Lip Kit (Left), 38 In. Mower	See Parts
	AM103852	Mower Lip Kit (Right Rear), 38 In. Mower	See Parts

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For SST Lawn Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal Air Flow Indicator BLOWER ASSEMBLY: For 48 In. and 54 In. Mowers Easy Installation and Removal Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20684	ATTACHMENTS FOR FIELD CONVERSION Material Collection System Hoppers: 7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute for 42 In. Convertible Mower or Blower Assembly and Power Flow Chute for 48 In. Convertible Mower. Front ballast is required when bagging. Order BM20937, Front Weight Kit for SST15, SST16 and SST18.	365.00
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	499.00
	BM20988	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute	66.00
	BM21681	Power Flow Chute (7 bu.) For 48C, 48X, 54C or 54X Series Blowers.	102.00
	BM20943	Rear Bagger Chute for 42 In. All Purpose Mower (42AP)	78.00
	BM20505	Mower Deck and Mower Deck Attachments: Front Blowout Baffle for 42 In. Mower (42C/42X)	34.00
	M135589	Hi Lift Blade For 48 In. Mower	See Parts
	M145970	High Lift Mower Blade (42C Mower) For LT Lawn Tractor.	See Parts
	BM19894	Mower Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	89.00
	BM20937	Weights: Front Weight Kit (SST) Warning Label not Included. French Canadian Dealers Need to	56.00

Order M127333 Warning Label. Order M127333 Warning Label.

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GT Garden Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal Air Flow Indicator BLOWER ASSEMBLY: For 48 In. and 54 In. Mowers Easy Installation and Removal Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Material Collection System Hoppers:	
	BM20456	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.	399.00
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) Requires BM21681 Power Flow Chute.	499.00
	BM22697	54C/54X High-Performance Blower Assembly (X300/X500 M-T/X700) Requires one AM133822 Wheel Adjusting Pin for use on Model Year 2004 Mowers. Requires BM21681 Power Flow Chute.	499.00
	BM19089	Blower Assembly for 48 In. Mower Not for 48C Mower. Requires BM20988 Power Flow Chute.	473.00
	BM19090	Blower Assembly for 54 In. Mower Not for 54C Mower. Requires BM20988 Power Flow Chute.	473.00
	BM16659	Blower Assembly-38 In. Mower (Yellow) Requires BM20988 Power Flow Chute	489.00
	BM20988	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute	66.00
	BM21681	Power Flow Chute (7 bu.) For 48C, 48X, 54C or 54X Series Blowers.	102.00
	BM20982	Rear Bagger Chute for 38 In. Mowers	66.00
	BM19649	Rear Bagger Chute for 42 In. Convertible Mower (42C) For GT225, GT235, GT235 E and GT245.	80.00
	AM115595	Mower Deck and Mower Deck Attachments: 48 In. Rear Lip Kit (1992 and prior) Bolt on Lips Provide Increased Vacuum Action.	See Parts
	BM20548	48C Adverse Condition Baffle Kit May reduce clipping drop when used with BM19439 Blower Assembly in damp conditions.	28.00
	M139977	Bagging Mower Blade (42C Mower) For LX, GT and GX Tractors.	See Parts
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	34.00

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GT Garden Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	M135589	ATTACHMENTS FOR FIELD CONVERSION Continued Hi Lift Blade For 48 In. Mower	See Parts
	M135590	Hi Lift Blade for 54 In. Mower	See Parts
	BM20985	Leaf Bagging Kit (54C/54X Mower)	111.00
	BM19894	Mower Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	89.00
	AM115596	Rear Lip Kit (1992 and prior) for 54 In. Mower Bolt on Lips Provide Increased Vacuum Action.	See Parts

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GX and 300 Series Garden Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal Air Flow Indicator BLOWER ASSEMBLY: For 48 In. and 54 In. Mowers Easy Installation and Removal Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20456	Material Collection System Hoppers: 7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.	399.00
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) Requires BM21681 Power Flow Chute.	499.00
	BM22697	54C/54X High-Performance Blower Assembly (X300/X500 M-T/X700) Requires BM21681 Power Flow Chute.	499.00
	BM19089	Blower Assembly for 48 In. Mower Not for 48C Mower. Requires BM20988 Power Flow Chute.	473.00
	BM19090	Blower Assembly for 54 In. Mower Not for 54C Mower. Requires BM20988 Power Flow Chute.	473.00
	BM16659	Blower Assembly-38 In. Mower (Yellow) Requires M118053 Right Rear Draft Arm. Also requires BM18851 Power Flow Chute.	489.00
	BM20988	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute	66.00
	BM21681	Power Flow Chute (7 bu.) For 48C, 48X, 54C or 54X Series Blowers.	102.00
	BM20982	Rear Bagger Chute for 38 In. Mowers	66.00
	BM19649	Rear Bagger Chute for 42 In. Convertible Mower (42C)	80.00
	AM115595	Mower Deck and Mower Deck Attachments: 48 In. Rear Lip Kit (1992 and prior) Bolt on Lips Provide Increased Vacuum Action.	See Parts
	BM20548	48C Adverse Condition Baffle Kit May reduce clipping drop when used with BM19439 Blower Assembly in damp conditions.	28.00
	M135589	Hi Lift Blade For 48 In. Mower	See Parts
	M135590	Hi Lift Blade for 54 In. Mower	See Parts
	BM20985	Leaf Bagging Kit (54C/54X Mower)	111.00

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GX and 300 Series Garden Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM19894	ATTACHMENTS FOR FIELD CONVERSION Continued Mower Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	89.00
	AM115596	Rear Lip Kit (1992 and prior) for 54 In. Mower Bolt on Lips Provide Increased Vacuum Action.	See Parts

7 Bu. Power Flow Material Collection System (For 425, 445, 455 Garden Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal Air Flow Indicator BLOWER ASSEMBLY: For 48 In. and 54 In. Mowers Easy Installation and Removal Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20780	ATTACHMENTS FOR FIELD CONVERSION Material Collection System Hoppers: 7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	445.00
	BM19089	Material Collection System Power Flow Blowers: Blower Assembly for 48 In. Mower	473.00
	BM19090	Blower Assembly for 54 In. Mower	473.00
	BM20988	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute	66.00
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	AM115595	Mower Deck and Mower Deck Attachments: 48 In. Rear Lip Kit (1992 and prior) Bolt on Lips Provide Increased Vacuum Action.	See Parts
	M135589	Hi Lift Blade For 48 In. Mower	See Parts
	M135590	Hi Lift Blade for 54 In. Mower	See Parts
	BM19894	Mower Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	89.00
	AM115596	Rear Lip Kit (1992 and prior) for 54 In. Mower Bolt on Lips Provide Increased Vacuum Action.	See Parts

7 Bu. Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal Air Flow Indicator BLOWER ASSEMBLY: For 48 In. and 54 In. Mowers Easy Installation and Removal Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20780	Material Collection System Hoppers: 7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	445.00
	BM20976	Material Collection System Power Flow Blowers: 48C/48X High Performance Blower Assembly Adapter Kit For use with 48C and 48X (Serial -050588) Mower Decks used on X400/X500HDGT and X700 Tractors if BM20667 Blower Assembly (Non-current) is used.	38.00
	BM22798	48C/48X High Performance Blower Assembly Adapter Kit For use with 48C and 48X (serial 050589-) Mower Deks used on X400/X500HDGT and X700 Tractors.	38.00
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	499.00
	BM22697	54C/54X High-Performance Blower Assembly (X300/X500 M-T/X700) Requires BM21681 Power Flow Chute.	499.00
	BM21681	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (7 bu.) For 48C, 48X, 54C or 54X Series Blowers.	102.00
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	BM20985	Mower Deck and Mower Deck Attachments: Leaf Bagging Kit (54C/54X Mower)	111.00
	BM20986	Leaf Bagging Kit (62C/62X Mower)	123.00
	BM19894	Mower Leaf Bagging Kit (48C/48X Mower)	89.00

Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.

3-Bag Power Flow Material Collection System (For X500 M-T, GT and GX)

Equipment for Base Machine

Hopper Volume = 14 Bushels Polyethylene Hopper Top 3 Polyester Bags Easy-to-Empty Bags Bags will Accept Plastic Liners Mechanical Hopper Top Lock

BM22697

SKU22144

Gas Cylinder Lift Assist No Tools Quik-Tatch Hitch Fill-Minder Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Greeneville, Tennessee	
SKU21680		3-Bag Power Flow Material Collection System (For X500 M-T, GT and GX Series Garden Tractors) Also Requires "C or X" Power Flow Blower Assembly and Power Flow Chute. Requires M146153 Bracket for use on GT and GX Tractors. Front Ballast is Recommended when Bagging. Especially on Hill or Inclines.	860.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010000-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.	499.00

(Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels)

For use with MY2007 X320 (Serial 040001-085000), X324

Cartoned Deck.

Wheels (X300/X500 M-T)

Material Collection System Power Flow/Rear Bagger Chutes:

54C/54X High-Performance Blower Assembly (X300/X500 M-T/X700)

HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp

BM21682 Power Flow Chute (14 bu) 126.00

499.00

499.00

3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors)

Equipment for Base Machine

Hopper Volume = 14 Bushels Polyethylene Hopper Top 3 Polyester Bags Easy-to-Empty Bags Bags will Accept Plastic Liners Mechanical Hopper Top Lock Gas Cylinder Lift Assist No Tools Quik-Tatch Hitch Fill-Minder Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Greeneville, Tennessee	
2712M		3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires BM20714 Click-N-Go Bracket, Requires "C" Series high performance power flow blower assembly and power flow chute.	860.00
		Front ballast is recommended when bagging, especially on hills or inclines.	
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20976	Material Collection System Power Flow Blowers: 48C/48X High Performance Blower Assembly Adapter Kit For use with 48C and 48X (Serial -050588) Mower Decks used on X400/X500HDGT and X700 Tractors if BM20667 Blower Assembly (Non-current) is used.	38.00
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	499.00
	BM22697	54C/54X High-Performance Blower Assembly (X300/X500 M-T/X700)	499.00
	SKU22330	60 In. High Performance Power Flow (For Use with X700 7-Iron Deck) Not Compatible with Cabs.	662.00
	BM21496	62 In. High Performance Power Flow (For Use with 62C or 62D Mower Deck)	499.00
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	126.00
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00

6.5 Bushel Hopper, Chute and Power Flow for 190C and G110, 54 In.

Equipment for Base Machine

Hopper Volume = 6.5 Bushels ABS Hopper Top 2 Polyester Bags Easy-to-Empty Bags Bags will Accept Plastic Liners

Ployethylene Blower and Fan will not Rust or Corrode No Tools Gargo Mount

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		Select One Code From Each Required Category	
		2-BAG MCS	
		F.O.B. Greeneville, Tennessee	
SKU21376		SKU 6.5 Bushel Hopper, Chute and Power Flow for 100 Series and G110, 54 In. Front Ballast is Recommended when Bagging, Especially on Hills or Inclines.	759.00

MC519 Cart and Material Collection System (For GT, GX, 200, 300, 400, X400/X500 HDGT, X500 M-T, X700)

Equipment for Base Machine

Capacity, "Collector Bagger Volume = 19 Bushels Cart Load = 500 Lbs. (227 Kg.) No Tools Quik-Tatch Hitch Powder Painted Finish Capacity "Utility Cart
Volume = 8.5 Cu. Ft. Heaped
Load = 500 Lbs. (227 Kg.)

.0478-In. Steel Box 14 Oz. Nylon Fabric Dump From the Seat Gas Cylinder Lift Assist Pneumatic Casters $4.10 \times 3.50 4 Ply Tires$ Greasable Bearings 11 In. (28 mm) Ground Clearance

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	1

910.00

BASE MACHINE

F.O.B. Davenport, Iowa

3302M MC519 Cart and Material Collection System

(For GT, GX, 200, 300, 400, X400/X500 HDGT, X500 M-T, X700) *Not for X300 or LX Lawn Tractors.Requires Power Flow* Blower Assembly and Power Flow Chute. Certain Tractor Models May Require M115521 Hitch Mounting Bracket. See Attachments for Field Conversion. See Sales Manual for

Ballast Requirements.

	ATTACHING PARTS	
1000	Operator's Manual for GT, GX, 200, 300, and 400 Tractors Includes Operator Manual for these applications. Attaching Parts for these Applications are In Base Equipment (except for M115521-notes below).	In Base Price
1001	Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors Includes Operator Manual and Adaptor Bracket for these Applications.	45.00
1010	No Attaching Parts Operator's Manual and Attaching Parts In Base Equipment Accommodates X500 M-T Tractors.	Same Price

	ATTACHMENTS FOR FIELD CONVERSION	
AM116194	Material Collection System Power Flow Blowers: 48 In. Wear Strap Kit For Use in Commercial or Abrasive Conditions with 48 In., 54 In. and 60 In. Power Flows.	See Parts
BM20976	48C/48X High Performance Blower Assembly Adapter Kit For use with 48C and 48X (Serial -050588) Mower Decks used on X400/X500HDGT and X700 Tractors if BM20667 Blower Assembly (Non-current) is used.	38.00
BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	499.00
BM22697	54C/54X High-Performance Blower Assembly (X300/X500 M-T/X700)	499.00

MC519 Cart and Material Collection System (For GT, GX, 200, 300, 400, X400/X500 HDGT, X500 M-T, X700) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SKU22330	ATTACHMENTS FOR FIELD CONVERSION Continued 60 In. High Performance Power Flow (For Use with X700 7-Iron Deck) Not Compatible with Cabs.	662.00
	BM21496	62 In. High Performance Power Flow (For Use with 62C or 62D Mower Deck)	499.00
	BM19089	Blower Assembly for 48 In. Mower	473.00
	BM19090	Blower Assembly for 54 In. Mower	473.00
	BM17488	Blower Assembly for 60 In. Mower For 420 and 430, Order (1) AM118915 Bracket from Parts.	640.00
	BM16659	Blower Assembly-38 In. Mower (Yellow) Not Compatible with 300 Series Tractors.	489.00
	SKU22144	HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.	499.00
	BM19695	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute Not for "C" Series High Performance Blowers	67.00
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	77.00
	M115521	Miscellaneous: Bracket, Hitch Mounting Required on MC519 (S/N 045001 -) to Mount on the following Tractors: * 316, 318, 322, 330, 332, 420 and 430 * 425 Two Wheel Steer (- A040774) without 3-Point Hitch. * 425 All Wheel Steer (- B040203) without 3-Point Hitch. * 445 (- C040542) without 3-Point Hitch. * 455 Two Wheel Steer (- C040507) without 3-Point Hitch. * 455 All Wheel Steer (- D040074) without 3-Point Hitch. This bracket was included in older MC519's but was eliminated when the 425, 445 and 455 Tractors Hitch design was changed and the Bracket was no longer Required for Hookup.	See Parts
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	BM20919	Operator's Manual and Attachting Parts for X400/X500 HDGT and X700 Tractors Includes Mounted Bracket and Operator Manual for these applications.	45.00
	BM24521	Operator's Manual for GT, GX, 200, 300, and 400 Tractors Includes Operator Manual for these applications. Mounting Parts for these applications are in Base equipment (except for M115521)	No Charge
	AM115595	Mower Deck and Mower Deck Attachments: 48 In. Rear Lip Kit (1992 and prior) Bolt on Lips Provide Increased Vacuum Action.	See Parts
	BM20548	48C Adverse Condition Baffle Kit May reduce clipping drop when used with BM19439 Blower Assembly in damp conditions.	28.00

MC519 Cart and Material Collection System (For GT, GX, 200, 300, 400, X400/X500 HDGT, X500 M-T, X700) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM19894	ATTACHMENTS FOR FIELD CONVERSION Continued Mower Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	89.00
	AM115596	Rear Lip Kit (1992 and prior) for 54 In. Mower Bolt on Lips Provide Increased Vacuum Action.	See Parts
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	107.00
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 ln., 24 ln. or 26 ln. Tires	16.00

Mowers and Attachments for Mowers For Non-Current Riding Lawn Equipment

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
		Mower Deck and Mower Deck Attachments:	
	BM17870	48 In. Front Edge Kit	78.00
	BM18365	48 In. Mower (240, 245, 265)	1,159.00
	BM17879	48 In. Mower for 120, 140, 300, 314, 316, 317, 318, 322 and 332 Tractors 330, 322 and 332 Require M119871 Belt. 317 requires only AM119485 Attaching Parts Kit. 316 (80001-95000), 314, 312, 300, 140 and 120 requires one AM119485 Attaching Parts Kit and M87218 Belt. If tractor is not Currently Equipped with a Mower, Order Front Mounting Bracket Assembly (Mule Drive), Front Draft Arm Assembly and Mower Lift Strap Components through Parts. Order AM116964 Export Decal Kit thru Parts.	1,189.00
	AM115595	48 In. Rear Lip Kit (1992 and prior)	See Parts
	BM18361	48 In. Side Discharge Mower For LX100's, 325 and 345 Tractors. GT242, GT262 and GT275 Tractors Require AM117017 Straight Gauge Wheel Post. (See DTAC Solution 81025).	1,099.00
	BM17871	54 In. Front Edge Kit	76.00
	SKU17206	54 In. Shaft Driven Mower (425, 445, 455)	1,499.00
	SKU19807	54 In. Side Discharge Mower (LX288, GT235, 325-355D)	1,229.00
	SKU17220	60 In. Shaft Driven Mower (425, 445, 455)	1,999.00
	AM119679	Blowout Reduction Kit (48 In. Mower)	See Parts
	AM119680	Blowout Reduction Kit (54 In. Mower)	See Parts
	BM20985	Leaf Bagging Kit (54C/54X Mower)	111.00
	BM20986	Leaf Bagging Kit (62C/62X Mower)	123.00
	AM115361	Leaf Mulcher Kit For 48 In. and 54 In. Mowers.	See Parts
	AM108476	Mower Deck Wear Plate (38 In. Mower)	See Parts
	AM115596	Rear Lip Kit (1992 and prior) for 54 In. Mower	See Parts

Mulching Attachments

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BM17920	Mower Deck and Mower Deck Attachments: 30 In. Tricycler Mulching Attachment Fits 108, 130 and Riders.	104.00
	BM17876	38 In. Tricycler Mulching Attachment For 38 In. 3-Spindle Model 39 and 41 Mowers.	156.00
	BM20008	42 In. Mulching Attachment with Plug and Blades (LX/GT) Fits 42 In. Convertible Mower (42C) Only.	89.00
	BM20686	42 In. Rear Discharge Mulch Plug Attachment (LTR155, LTR166, LTR180)	156.00
	BM19321	46 In. Tricycler Mulching Attachment Fits 46 In. Decks with Hinged Discharge, include Blades.	151.00
	BM19918	48 In. Mulch Kit	208.00
	BG20304	54 In. Mulch Kit Fits G110, 190C.	199.00
	BM17869	54 In. Tricycler Mulching Kit	219.00
	BM17878	60 In. Tricycler Mulching Attachment	235.00
	BM20985	Leaf Bagging Kit (54C/54X Mower)	111.00
	BM20986	Leaf Bagging Kit (62C/62X Mower)	123.00
	BM21817	Mulch Kit (38 In. or 38X) For 2 Spindle Mowers	117.00
	BM21816	Mulch Kit (42 In. or 42X) For 100's, L100's, LT, SST, X300's.	89.00
	BM20007	Mulch Kit (48C/48X)	141.00
	BM20827	Mulch Kit (54C/54D/54X)	190.00
	TCB10953	Mulch Kit (60 In. 7-Iron and 7-Iron II)	290.00
	BM21890	Mulch Kit (62C/62D/62X)	209.00

52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)

Equipment for Base Machine

52 In. Clearing Width
"Straight"
48 In. Clearing Width "Angled"
Storage Stands
21 In. Diameter Polypropylene
Brush
Gearbox with 3:1 Reduction
Heavy Duty No. 50 Chain Drive
(2) Adjustable Rear Mounting

ATTACUBATAIT

Caster Wheels
Brush Head Height Adjustment
Three Spare Driveshaft Shear
Bolts "Mounted to Shell"
Less Front Quick-Hitch
Less Hydraulic Angling
Less Front PTO
Less Implement Drive Shaft

SUGGESTED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
3880M		52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) X700, X465 and X475 Requires BM20761 Hydraulic Coupler Kit. See Sales Manual for Ballast Requirements.	2,059.00
		Not Compatible with BM17347, 425-455 Quick-Hitch Updated for Use on X400/X500 HDGT's and X700's with BM20979 Front-Hitch Angling Retro-Fit Kit.	
		Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.	
		FRONT QUICK-HITCH	
1000		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	577.00
1005		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	614.00
1006		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 2720, 4010, 4100, 4110, 4115)	658.00
1010		Less Front Quick-Hitch	In Base Price
		HYDRAULIC ANGLING CYLINDER	
2000		Hydraulic Angling (For X400/X500 HDGT's, X700's)	178.00
2005		Hydraulic Angling (2210, 2305)	179.00
2006		Hydraulic Angling (2320, 2520, 2720, 4010, 4100, 4110, 4115)	184.00
2010		Less Hydraulic Angling	In Base Price
		2000 RPM FRONT PTO KIT	
3000		2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	221.00

52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3001		2000 RPM FRONT PTO KIT Continued 4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749) For European RII Homologation Tractors, also order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	234.00
3003		2000 RPM Front PTO (4100 and 4110)	243.00
3004		2000 RPM Front PTO (4010 and 4115)	243.00
3005		2000 RPM Front PTO (2210, 2305)	252.00
3006		2000 RPM Front PTO (2320)	238.00
3007		2000 RPM Front PTO (2520, 2720)	238.00
3010		Less 2000 RPM Front PTO	In Base Price
		IMPLEMENT DRIVE SHAFT	
4000		Implement Drive Shaft (X400/X500 HDGT's, X700's, 2210, 2305)	234.00
4002		Implement Drive Shaft (2320, 2520, 2720, 4010, 4100, 4110, 4115)	240.00
4001		European RII Implement Drive Shaft Includes Shielding for CE, Supplemental CE Labels, FIGS OM. for X400/X500 HDGT's and X700's.	278.00
4010		Less Implement Drive Shaft	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20921	Front Hitch: Front Quick-Hitch and Hydraulic Lift (2305) Fits also 2210 Tractors (for 47SB only).	658.00
	LVB24898	Front Quick-Hitch and Hydraulic Lift (2320, 2720) Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.	705.00
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) Also Order BM20837, Angling Cylinder to Hydraulically Angle the Front Hitch.	618.00
	LVB25966	Front PTO: 2000 RPM Front PTO (2305)	270.00
	LVB24900	2000 RPM Front PTO (2320)	255.00
	LVB24801	2000 RPM Front PTO (2520, 2720, 3120-3720)	255.00
	BM18695	2000 RPM Front PTO (4100, 4110)	260.00
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	260.00

52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20991	ATTACHMENTS FOR FIELD CONVERSION Continued 2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	236.00
	BM22560	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749) For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	251.00
	BM20978	Front PTO Shield For BM20382 (4WD) 2000 RPM Front PTO when used on X595 or X748. Required to Meet Homologation Standards. Not Required for CE.	124.00
	BM20966	Front PTO Shield Kit For BM20991 (2WD) 2000 RPM Front PTO when used on X495 or X740. Required to Meet Homologation Standards. Not Required for CE.	87.00
	LVB24901	Hydraulics: Hydraulic Angling (2320, 2520, 2720, 4010, 4100, 4110, 4115)	197.00
	BM20837	Hydraulic Angling (X400/X500 HDGT's, X700's) For BM19782 Front Quick Hitch	190.00
	BM20922	Hydraulic Angling Kit (2210, 2305)	192.00
	BM20761	Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.	49.00
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	BM21777	Deflector Kit for 52 Broom	54.00
	LVB25302	Front Attaching Support Kit For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB25396	Front Attaching Support Kit (2305) Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB24895	Front Attaching Support Kit (2320) See Sales Manual for Front Attaching Support Requirements.	68.00
	LVB25293	Front Attaching Support Kit (4010) See Sales Manual for Front Attaching Support Requirements.	74.00
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2320-2720) Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 2720, 4115).	114.00
	BM20836	Implement Drive Shaft (2320, 2520, 2720, 4010, 4100, 4110, 4115)	258.00
	BM21854	Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 2210, 2305)	251.00

52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM21853	ATTACHMENTS FOR FIELD CONVERSION Continued Thatching Wheel Kit for 52 Broom	235.00
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	See Parts
	TY25326	Tire Chains for 26x10.50-12 Turf Drive Tires For X400 All Wheel Steer Tractors with Standard 26x10.5-12 In Tires.	See Parts
	BM22725	Wheel Spacer Kit For all Wheel Steer Tractors when Installing TY15956 Chains.	141.00
	BM20715	Weights: Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket</i> .	253.00
	R66949	Quik-Tatch Weight, 42 Lb.	45.00
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	140.00

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 2720, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors)

Equipment for Base Machine

57 In. Clearing Width "Straight" 50 In. Clearing Width "Angled" Storage Stands 26 In. Diameter Polypropylene Brush Gearbox with 3:1 Reduction Chain and Sprocket Final Drive (2) Adjustable Rear Mounted Caster Wheels Broom Head Float
Four Spare Driveshaft Shear
Bolts Two Sizes, "Mounted to
Shell"
Less Mounting Frame
Less Front Quick-Hitch
Less Front PTO
Less Implement Drive Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	UGGESTED LIST PRICE USD (\$)

BASE MACHINE F.O.B. Davenport, Iowa 3790M 60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 2720, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors) X465 and X475 Tractors Require BM20761 Hydraulic Coupler Kit. Not Compact Tractors Require Dual Selective Control Valve and Mid PTO. Small Chassis Compact Tractors also Require Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. 3120-3720 Tractors with Mid-Mount Movers for use with Front

Three-Point Hitch with A-Frame require LVB25820 (AutoConnect decks)

or LVB24810 (old 7-Iron decks)

	MOUNTING FRAME	
1000	Mounting Frame (X400/X500 HDGT's, X700's, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	368.00
1001	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410)	1,131.00
1002	Mounting Frame with Drive Shaft and Hydraulic Angling (3120-3720)	764.00
1010	Less Mounting Frame	In Base Price
	FRONT QUICK-HITCH / HYDRAULIC LIFT	
2000	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	577.00
2002	Front Quick-Hitch and Hydraulic Lift (4210-4410)	693.00
2003	Front Quick-Hitch and Hydraulic Lift (4200-4400) Availability Limited to Dealer Inventory.	693.00
2004	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	614.00
2005	Front Quick-Hitch and Hydraulic Lift (2320, 2520, 2720, 4010,	658.00

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 2720, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT QUICK-HITCH / HYDRAULIC LIFT Continued 4100, 4110, 4115)	
2006		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	1,171.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
		HYDRAULIC ANGLING	
		Hydraulic Angling for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.	
3000		Hydraulic Angling (X400/X500 HDGT's, X700's)	178.00
3002		Hydraulic Angling Kit (2210, 2305)	179.00
3003		Hydraulic Angling (2320, 2520, 2720, 4010, 4100, 4110, 4115)	184.00
3010		Less Hydraulic Angling	In Base Price
		2000 RPM FRONT PTO KIT	
4000		2WD Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	221.00
4001		4WD Front PTO (X500 HDGT's, X728, X729, X748, X749)	234.00
4002		2000 RPM Front PTO Kit (4100, 4110)	243.00
4003		2000 RPM Front PTO Kit (4010, 4115)	243.00
4004		2000 RPM Front PTO Kit (4200-4400, 4210-4410)	205.00
4005		2000 RPM Front PTO Kit (2210, 2305)	252.00
4006		2000 RPM Front PTO Kit (2320)	238.00
4007		2000 RPM Front PTO Kit (2520, 2720, 3120-3720)	238.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
		IMPLEMENT DRIVE SHAFT	
		Drive Shaft for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.	
5001		Implement Drive Shaft (2320, 2520, 2720, 4010, 4100, 4110, 4115)	240.00
5003		Implement Drive Shaft (X400/X500 HDGT's, X700's, 2210, 2305)	234.00
5010		Less Implement Drive Shaft	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	LVB24797	Front Hitch: A-Frame Quick Attach System (3120-3720)	157.00

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 2720, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20921	ATTACHMENTS FOR FIELD CONVERSION Continued Front Quick-Hitch and Hydraulic Lift (2305) Fits also 2210 Tractors (for 47SB only).	658.00
	LVB24898	Front Quick-Hitch and Hydraulic Lift (2320, 2720) Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.	705.00
	LVB25306	Front Quick-Hitch and Hydraulic Lift (4210-4410)	743.00
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	618.00
	LVB25878	Front Three-Point Hitch (3120-3720)	1,030.00
	LVB24815	Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720) Consists of (1) LVB24797, (1) LVB25759, (1) LVB25878.	1,255.00
	LVB25966	Front PTO: 2000 RPM Front PTO (2305)	270.00
	LVB24900	2000 RPM Front PTO (2320)	255.00
	LVB24801	2000 RPM Front PTO (2520, 2720, 3120-3720)	255.00
	BM18695	2000 RPM Front PTO (4100, 4110)	260.00
	BM19576	2000 RPM Front PTO (4200-4400, 4210-4410)	219.00
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	260.00
	BM20991	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	236.00
	BM22560	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749) For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	251.00
	LVB25759	Front PTO Bracket (3120-3720)	68.00
	BM22286	Hitch: 3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	567.00
	LVB24901	Hydraulics: Hydraulic Angling (2320, 2520, 2720, 4010, 4100, 4110, 4115)	197.00
	BM20837	Hydraulic Angling (X400/X500 HDGT's, X700's)	190.00
	BM20922	Hydraulic Angling Kit (2210, 2305)	192.00
	BM20761	Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.	49.00
	BM20706	Miscellaneous: 19.25x12.5x6.5 Heavy Duty Wheel Kit	323.00

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 2720, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20714	ATTACHMENTS FOR FIELD CONVERSION Continued Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	BM19805	Debris Deflector	365.00
	LVB25302	Front Attaching Support Kit For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB25396	Front Attaching Support Kit (2305) Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB24895	Front Attaching Support Kit (2320) See Sales Manual for Front Attaching Support Requirements.	68.00
	LVB25293	Front Attaching Support Kit (4010) See Sales Manual for Front Attaching Support Requirements.	74.00
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2320-2720) Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 2720, 4115).	114.00
	LVB25820	Front Three-Point Hitch/Mid Mount Brackets Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and AutoConenct Mowers.	145.00
	LVB24810	Front Three-Point Hitch/Mid Mount Mower Draft Arms Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.	205.00
	BM20836	Implement Drive Shaft (2320, 2520, 2720, 4010, 4100, 4110, 4115)	258.00
	LVB24956	Implement Drive Shaft (3120-3720)	149.00
	BM21854	Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 2210, 2305)	251.00
	BM20626	Mounting Frame (X400/X500 HDGT's, X700's, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	394.00
	LVB25879	Mounting Frame and Hydraulic Angling (3120-3720)	681.00
	BM19804	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400, 4210-4410)	1,212.00
	AM128682	Wafers, Polypropylene Bristle (Pack of 16)	See Parts
	AM128683	Wafers, Steel Bristle (Pack of 16)	See Parts
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	107.00
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	55.00
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	152.00

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 2720, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20715	ATTACHMENTS FOR FIELD CONVERSION Continued Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	253.00
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	26.00
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	11.00
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 ln., 24 ln. or 26 ln. Tires <i>Two Wheel Steer only</i> .	16.00
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	11.00
	R66949	Quik-Tatch Weight, 42 Lb.	45.00
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	140.00
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	85.00
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	8.00

47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)

Equipment for Base Machine

Hydraulic Discharge Chute Rotation 100 Degrees Right and Left 47 In. Clearing Width "Straight" 15.5 In. Diameter Impeller 16 In. Diameter Auger Shear Bolt Protection Less Front Quick-Hitch
Adjustable Spout Cap Deflector Less Front PTO Two-Stage Design

3007

Wear Plates Reversible and Replaceable Scraper Blade Four Extra Shear Bolts "Shell Mounted" Hydraulic Chute Angling Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
1473M		47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) BM20761 Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.	2,050.00
		Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Maual for Front Attaching Support Requirements.	
		See Sales Manual for Ballast requirements.	
		FRONT QUICK-HITCH	
2000		Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	598.00
2005		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	577.00
2006		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	614.00
2007		Front Qiuck-Hitch and Hydraulic Lift (2320, 2520, 2720, 4010, 4100, 4110, 4115)	658.00
2010		Less Front Quick-Hitch	In Base Price
		2000 RPM FRONT PTO KIT	
3000		2000 RPM Front PTO (425, 445, 455)	221.00
3003		2000 RPM Front PTO (4100, 4110)	243.00
3004		2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	221.00
3005		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749)	234.00
3006		2000 RPM Front PTO (4010, 4115)	243.00

252.00

2000 RPM Front PTO (2210, 2305)

47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		2000 RPM FRONT PTO KIT Continued	
3008		2000 RPM Front PTO Kit (2320)	238.00
3009		2000 RPM Front PTO (2520, 2720)	238.00
3010		Less Power Take Off	In Base Price
		IMPLEMENT DRIVE AND UPSTOP	
4000		Implement Drive and Upstop (425, 445, 455)	208.00
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	208.00
4004		Implement Drive and Upstop (2210, 2305)	279.00
4005		Implement Drive and Upstop (2320, 2520, 2720, 4010, 4100, 4110, 4115)	347.00
4010		Less Implement Drive and Upstop	In Base Price
	BM20921 LVB24898 BM17347 BM19782 LVB25966 LVB24900 LVB24801 BM18695	ATTACHMENTS FOR FIELD CONVERSION Front Hitch: Front Quick-Hitch and Hydraulic Lift (2305) Fits also 2210 Tractors (for 47SB only). Front Quick-Hitch and Hydraulic Lift (2320, 2720) Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only. Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455) Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) Front PTO: 2000 RPM Front PTO (2320) 2000 RPM Front PTO (2520, 2720, 3120-3720) 2000 RPM Front PTO (4100, 4110)	658.00 705.00 640.00 618.00 270.00 255.00 255.00 260.00
	BM17330	2000 RPM Front PTO (415, 425, 445, 455) European Region II 455 Requires BM17861.	236.00
	LVB25305 BM20991	2000 RPM Front PTO Kit (4010, 4115) 2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	260.00 236.00
	BM22560	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749) For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	251.00

Hydraulics:

47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4115 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20761	ATTACHMENTS FOR FIELD CONVERSION Continued Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.	49.00
	BM20896	Hydraulic Retro Kit Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.	26.00
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	M88984	Drift Blade Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.	See Parts
	LVB25302	Front Attaching Support Kit For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB25396	Front Attaching Support Kit (2305) Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB24895	Front Attaching Support Kit (2320) See Sales Manual for Front Attaching Support Requirements.	68.00
	LVB25293	Front Attaching Support Kit (4010) See Sales Manual for Front Attaching Support Requirements.	74.00
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2320-2720) Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 2720, 4115).	114.00
	AM119321	Heavy Duty Skid Shoe (1) For Snow Blowers Serial Numbered up to 060000.	See Parts
	BM24006	Implement Drive and Upstop (2305) Fits also 2210 Tractors (for 47SB only).	299.00
	LVB24902	Implement Drive and Upstop (2320, 2520, 2720) Fits also 4010, 4100, 4110 and 4115 Tractors (for 47SB only).	371.00
	BM18172	Implement Drive and Upstop (318, 322, 332, 420, 430)	259.00
	BM20871	Implement Drive and Upstop (425, 445, 455, F900's)	223.00
	BM23236	Implement Drive and Upstop (X400/X500 HDGT's, X700's)	223.00
	AM128337	Left-Side Skid Shoe Plate and Hardware	See Parts
	BM20960	Remote Spout Cap Control Kit For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.	111.00
	LVB24958	Remote Spout Cap Control Kit For 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.	129.00

47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM128336	ATTACHMENTS FOR FIELD CONVERSION Continued Right-Side Skid Shoe Plate and Hardware	See Parts
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.	See Parts
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	See Parts
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires Compatible on all Wheel Steer Tractors with BM17332 Tires.	See Parts
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	See Parts
	BM18021	Wheel Spacer Kit (425, 445, 455) For all Wheel Steer Tractors when Installing TY15956 Chains. Not for X400/X500 HDGT's or X700 Series Tractors.	141.00
	BM20715	Weights: Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	253.00
	R66949	Quik-Tatch Weight, 42 Lb.	45.00
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	140.00

54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 2305, 2320-2720 Tractors)

Equipment for Base Machine

Hydraulic Discharge Chute Rotation 100 Degrees Right and Left 54 In. Clearing Width "Straig

54 In. Clearing Width "Straight"
15 In. Diameter Impeller
16 In. Diameter Auger
Shear Bolt Protection

Adjustable Spout Cap Deflector Two-Stage Design

IDENTIFIER

CODE

Wear Plates
Reversible and Replaceable
Scraper Blade
Four Extra Shear Bolts
"Shell Mounted"
Hydraulic Chute Angling
Less Front Quick-Hitch
Less Front PTO
Less Implement Drive and Upstop

SUGGESTED
ATTACHMENT LIST PRICE

Select One Code From Each Required Category

BASE MACHINE

DESCRIPTION

F.O.B. Davenport, Iowa

02C1M 54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 2305,

2320-2720 Tractors)

BM20761 Hydraulic Coupler Kit Required on X700 Tractors.

Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Maual for Front Attaching Support Requirements.

See Sales Manual for Ballast requirements.

FRONT	OHICK	

	FRONT QUICK-HITCH	
2005	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	577.00
2006	Front Quick-Hitch and Hydraulic Lift (2305)	614.00
2007	Front Qiuck-Hitch and Hydraulic Lift (2320-2720)	658.00
2010	Less Front Quick-Hitch	In Base Price
	2000 RPM FRONT PTO KIT	
3004	2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	221.00
3005	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749)	234.00
3007	2000 RPM Front PTO (2305)	252.00
3008	2000 RPM Front PTO Kit (2320)	238.00
3009	2000 RPM Front PTO (2520, 2720)	238.00
3010	Less Power Take Off	In Base Price

IMPLEMENT DRIVE AND UPSTOP

4003 Implement Drive and Upstop (For X400/X500 HDGT's, X700's)

208.00

USD (\$)

2,450.00

54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 2305, 2320-2720 Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		IMPLEMENT DRIVE AND UPSTOP Continued	
4005		Implement Drive and Upstop (2320-2720)	270.00
4006		Implement Drive and Upstop (2305)	395.00
4010		Less Implement Drive and Upstop	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	BM20921	Front Hitch: Front Quick-Hitch and Hydraulic Lift (2305)	658.00
	LVB24898	Front Quick-Hitch and Hydraulic Lift (2320, 2720)	705.00
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	618.00
	LVB25966	Front PTO: 2000 RPM Front PTO (2305)	270.00
	LVB24900	2000 RPM Front PTO (2320)	255.00
	LVB24801	2000 RPM Front PTO (2520, 2720, 3120-3720)	255.00
	BM20991	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	236.00
	BM22560	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749) For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.	251.00
	BM20761	Hydraulics: Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.	49.00
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	100.00
	M88984	Drift Blade Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.	See Parts
	LVB25302	Front Attaching Support Kit For 2520, 2720 Tractors. See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB25396	Front Attaching Support Kit (2305) Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.	53.00
	LVB24895	Front Attaching Support Kit (2320) See Sales Manual for Front Attaching Support Requirements.	68.00
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2320-2720) Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 2720).	114.00

54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 2305, 2320-2720 Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM23237	ATTACHMENTS FOR FIELD CONVERSION Continued Implement Drive and Upstop (2305)	424.00
	BM23238	Implement Drive and Upstop (2320, 2520, 2720)	290.00
	BM23236	Implement Drive and Upstop (X400/X500 HDGT's, X700's)	223.00
	BM20960	Remote Spout Cap Control Kit For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.	111.00
	LVB24958	Remote Spout Cap Control Kit For 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.	129.00
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	See Parts
	BM20715	Weights: Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	253.00
	R66949	Quik-Tatch Weight, 42 Lb.	45.00
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	140.00

42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors)

Equipment for Base Machine

42 In. (107 cm) Clearing Width Easy-On, Easy-Off Mounting 12 In. Diameter Auger Reversible and Replaceable Cutting Blade 216 Degree Spout Rotation Over-Center Belt Tensioner Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Large, Adjustable Skid Shoes

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
3252M		42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors) Operator's Manual is Packaged with Attaching Parts Bundle.	1,599.00
		100 Lbs. of Ballast is Recommended on Rear of Tractor.	
		LIFT KIT	
1000		Front Implement Lift Kit (G100, Scotts/Sabre Yard Tractors, LX, GT with Hand Lift) G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require two M132142 Brackets, four 19M7285 Bolts, and four 14M7466 Nuts. LX277 AWS requires two M136814 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX172-LX188 require BM19407 Mounting Parts.	89.00
1001		Front Implement Lift Kit (325, 335, 345, 355D)	73.00
1002		Front Implement Lift Kit (240-285, 320) When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193, Right and 1-M71194, Left Mower Lift Stops, 4-03M7190, Carriage Bolts and 4-14M7296, Flange Head Nuts may be Required.	100.00
1003		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	73.00
1004		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.	104.00
1010		Less Front Implement Lift Kit	In Base Price
		ATTACHING PARTS	
2001		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) 240-285 and 320 Tractors Require one M137636 Bracket, two 03M7190 Bolts, two 19M7866 Bolts and six 24M7053 Washers.	53.00
2003		Attaching Parts (LX, GT, GX255)	70.00

42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHING PARTS Continued	
2004		Attaching Parts (G100 and Scotts/Sabre Yard Tractors)	70.00
2010		Less Attaching Parts	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	BM19797	Miscellaneous: Adapter Kit for LX277 AWS and LX280 AWS Required to Install BM17296 Rear Weight Mounting Kit on LX277 AWS and LX280 AWS	28.00
	BM19216	Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX300 Series) 240-285 and 320 Tractors Require one M137636 Bracket, two 03M7190 Bolts, two 19M7866 Bolts and six 24M7053 Washers.	56.00
	BM21339	Attaching Parts (LX, GT, GX255)	75.00
	M88984	Drift Blade	See Parts
	BM19867	Electric Spout Rotation Kit	264.00
	BM16733	Front Implement Lift Kit (240-285,320) When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.	107.00
	BM19996	Front Implement Lift Kit (325, 335, 345, 355D)	78.00
	BM20781	Front Implement Lift Kit (GX325, GX335, GX345, GX355)	78.00
	BM21337	Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) (LX, GT and GX255 with Foot Lift) (LX, GT and GX255 with Foot Lift) LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.	111.00
	BM18977	Front Implement Lift Kit (LX/GT with Hand Lift) G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require two M132142 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX277 AWS requires two M136814 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX172- LX188 require BM19407 Mounting Parts.	96.00
	AM122263	Heavy Duty Skid Shoe, Left Hand	See Parts
	AM122264	Heavy Duty Skid Shoe, Right Hand	See Parts
	BM19407	Mounting Parts (LX172-LX188)	146.00
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts

42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	TY24327	ATTACHMENTS FOR FIELD CONVERSION Continued Tire Chains for 22x11-10 In. Tuf Tires	See Parts
	M142891	Wear Plate	See Parts
	BM17976	Weights: 50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware Not Compatible with LX Tractors.	55.00
	R66949	Quik-Tatch Weight, 42 Lb.	45.00
	BM17296	Rear Weight Mounting Kit (LX Series) Not for LX280 or LX289 For (2) R66949 Weights. LX277 AWS and LX280 AWS also Requires BM19797 Adapter Kit.	73.00

Front Mounted Thatchers

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SKU13056	ATTACHMENTS FOR FIELD CONVERSION FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	199.00
	TY13036	8 In. Front Thatcher (Extension) Add to 38 In. Thatcher as Needed to Approximate Mower Width.	48.00
	BM17348	Mounting Frames: Thatcher Mounting Frame For 425, 445, 455 Tractors with Mid-Mount Mower.	145.00
	BM20853	Thatcher Mounting Frame For X400/X500 HDGT and X700 Ultimate Tractors.	190.00
	BM19510	Thatcher Mounting Frame (LX255, LX266, LX277, LX277 AWS, LX279, LX280, LX280 AWS, LX289, GT225, GT235, GT235E GT245, and GX255) Order M142332, Draft Rod when using with a 54C Mower.	163.00

30 In. Mechanical Drive Tiller (For 240-285, 320, 325, 345, 355D, G100 (Not G110) GT, GX Tractors and Sabre Yard and Garden Tractors)

Equipment for Base Machine

...

30 In. (762 mm) Tilling Width
14 In. Tine Diameter
Welded Tine Housing
6 In. Tilling Depth
Leveling Blade
Easy-On, Easy-Off

Mounting End Drive 250 RPM Tine Speed Double-Wall Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	_
3264M		30 In. Mechanical Drive Tiller (For 240-285, 320, 325, 345, 355D, G100 (Not G110) GT, GX Tractors and Sabre Yard and Garden Tractors) Tiller Mounting Kit Required for Model Year 1999 and Prior Sabre Yard Tractors)	1,529.00
		LIFT ARMS	
1000		Lift Arm (GT225, GT235, GT235 E GT245 and GX255 Tractors)	90.00
1001		Lift Arm (G100, GT242, GT262, GT275 and Sabre Yard and Garden Tractors)	79.00
1002		Lift Arm (GX325-GX355, 325-355D, 240-285, 320) For 240-320 Tractors. Also Requires M72234 Lift Rod.	68.00
1010		Less Lift Arm	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	D140000	Miscellaneous:	 0.00
	BM20325	Lift Arm (240-285, 320, 325-355D, GX325-GX355) For 240-320 Tractors. Also Requires M72234 Lift Rod.	73.00
	BM20242	Lift Arm (G100, GT242, GT262 GT275 and Sabre Yard and Garden Tractors)	84.00
	BM21343	Lift Arm (GT225, GT235, GT235 E, GT245, GT255)	97.00
	BM20420	Tiller Mounting Kit For 30 In. Tiller to fit Sabre Yard Tractors for model year 1999 and prior.	18.00
	BM19511	Weights: Front Weight Bracket/Bumper For use of R66949 Weight on GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canadian Dealers must order M139913, Warning Decal.	124.00
	R66949	Quik-Tatch Weight, 42 Lb. Use up to 3 Weights at Rear when Tilling Sod or Hard Packed Soil.	45.00

30 In. Mechanical Drive Tiller (For 240-285, 320, 325, 345, 355D, G100 (Not G110) GT, GX Tractors and Sabre Yard and Garden Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17964	ATTACHMENTS FOR FIELD CONVERSION Continued Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) Use at Front of Tractor when Operating on Slopes. Front Wheel Weight Requires BM17978 Wheel Weight Mounting Hardware Kit.	85.00
	BG10189	Wheel Weight Kit (Set of 2) Fits Front Wheels.	57.00
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	8.00

42 In. Hydraulic Tiller (For X400/X500 HDGT and X700 Series Garden Tractors)

Equipment for Base Machine

42 In. Tilling Width
Shaft Drive with "Lock-Back
Collar" - X400/X500 HDGT'S,
X700's
2000 RPM PTO Input Speed
Category "1" 3-Point Hitch
Mounting, X400/X500 HDGT'S,
X700's
Leveling Blade
14 In. Cutting Circle

1-6 In. Tilling Depth

28 High-Carbon, Heat
Treated Steel Tines
Optional Six Position
Adjustable Skid Shoes
5 Gallon Hydraulic
Oil Reservoir
Adjustable Rear Hinged
Cover Door
200 RPM Tine Rotation Speed
at Full Throttle
Standard or Counter-Rotating

Tines

567.00

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

4391M 42 In. Hydraulic Tiller 2,359.00

(For X400/X500 HDGT and X700 Series Garden Tractors) If no Mower Deck, then AM133971 is Required.

This version of the 42 Hydraulic Tiller is used for X700s and non-current X400/X500 HDGTs. See the "attachments for field conversion" for the version used on X500 M-T Tractor.

Bar Tires are Recommended on 2WD Tractors and HDAP Tires Recommended on 4WD Tractors for Tilling Applications. Chains not Recommended for Tilling.

160 Lbs. of front ballast is required for X400/X500 HDGT and X700 Series Garden Tractors

X700 Series Garden Tractors.

X400/X500 HDGT and X700 Series Garden Tractors must be

equipped with 3-Point Hitch.

ATTACHMENTS FOR FIELD CONVERSION

Hitch:

BM22286 3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)

Miscellaneous:

BM19406 Adjustable Skid Shoes 197.00

For 42 In. Hydraulic Tiller

AM133971 Shaft, Half and Joint Assembly (X400/X500 HDGT's, X700's) See Parts

Weights:

R66949 Quik-Tatch Weight, 42 Lb. 45.00

647 Rotary Tiller

Equipment for Base Machine

48 In. Tilling Width
540 PTO Shaft Drive with
"Quick Lock" Collar
Pre-set Slip Clutch
15-35 PTO HP Rated Main Gearbox
Preather on Gearbox and Chain

ASA 60 Roller Chain
Parking Stands
Adjustable Rear Hinged Cover
Door

6 Flanges - Total of 36 Tines 4 Position Adjustable Skidshoes ASA 60 Roller Chain Dipstick on Gearbox Center Mounted Cat 1 Hitch Sight Glass on Chain Case 1 Match & Alpha Compatible 7 In. Tilling Depth 3-Point Hitch 14 In. Rotor Diameter Drive Shaft (CUT Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Davenport, Iowa	
0205LV		647 Rotary Tiller For X400/X500 HDGT, X700 Series, 3005, 4005, 3032E, 3038E, 2210, 4010, 4100, 4110, 4115, 2305, 2320-2720, 3203, 3120-3720, 4105 Tractors. X400/X500HDGT and X700 Series Tractors Must be Equipped with 540 RPM Rear PTO Drive and Category 1 3-Point Hitch. Front Ballast is Required, See Sales Manual for Specific Requirements. If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the AutoHitch Implement Side Components are Used in Place of the Tiller Drive Shaft.	2,180.00
		DRIVE SHAFT	
1000		Drive Shaft for Compact Utility Tractors	In Base Price
1001		Drive Shaft for X400/X500 HDGT and X700 Series Tractors	29.00
1010		Less Drive Shaft	(296.00)
		BRACKETS	
2000		Brackets for Compact Utility Tractors	In Base Price
2001		Brackets for X400/X500 HDGT and X700 Series Tractors	Same Price
2010		Less Brackets	(133.00)
		ATTACHMENTS FOR FIELD CONVERSION Hitch:	
	BM22286	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	567.00
	BM21914	Miscellaneous: 540 RPM Rear PTO Drive (X700's) Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.	859.00
	LVB25769	Brackets for Compact Utility Tractors	142.00

647 Rotary TillerContinued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25770	ATTACHMENTS FOR FIELD CONVERSION Continued Brackets for X400/X500 HDGT and X700 Series Tractors	142.00
	LVB25518	Drive Shaft Kit (CUTS)	317.00
	LVB25545	Drive Shaft Kit (X400/X500 HDGT's, X700's)	349.00
	BM20957	Weights: 9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	168.00
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) Includes Rod and Spring Pins for Front Quik-Tatch Weights.	41.00
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) Includes Rod and Spring Pins for Front Quik-Tatch Weights.	See Parts
	LVB25363	Front Weight Bracket Extension Kit (2305, 2320, 2520) Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Seven Quik-Tatch Weights.	185.00
	LVBM19581	Front Weight Bracket Extension Kit (3203, 3020 Series, 4105) Includes Extension Bracket and All Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	210.00
	BM17998	Front Weight Bracket Extension Kit (790, 3005) Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.	205.00
	BM17999	Front Weight Bracket Extension Kit (990, 4005) Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.	199.00
	R66949	Quik-Tatch Weight, 42 Lb. For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.	45.00

Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors

Equipment for Base Machine

Spreaders:
Capacity and Type:
80 Lb. Pull-Type (TY25010)
125 Lb. Pull-Type (TY25011)
175 Lb. Pull-Type (TY25012)
175 Lb. Pull-Type (LPBST35JD)
NEED TO UPDATE ALL SPECS
40 Lb. Push-Type (TY24375)
Hopper Material
Stainless Steel (40 Lb.)
Polyethylene (80-, 125-, 175, 110- Lb.)
80 Setting Dial-A-Matic Rate Control Knob
Solid, One-Place Axle

Drive Gears
Delron/Nylon (40- and 80-Lb.)
Heavy-Duty Die Cast Metal
(110-,
125-, and 175-Lb.)
Tires:
10 In. Pneumatic (80 Lb.)
14 In. Pneumatic (125- and 175-Lb.)
8x2.25 In. Semi-Pneumatic (40 Lb)
13x5 In. Turf Saver (110 Lb)
Powder-Coated 16 gauge Tubular
Steel Frame
Stainless Steel Hopper Bottom

No-Stick Nylon Rate Gauge Stainless Steel Rate Gauge Linkage and Rotary Agitator One-Year Limited Warranty

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	T)/40000	ATTACHMENTS FOR FIELD CONVERSION FRONT MOUNTED THATCHERS:	40.00
	TY13036	8 In. Front Thatcher (Extension) Add to one end of 40 In. Thatcherator to make 48 In. wide, both ends for 56 In. total width	48.00
	AM105666	Miscellaneous: Extension, Wiring Harness (X400/X500 HDGT's, X700's, 322, 330, 332, 425, 445, 455) 30 in extension for use with sprayers on (X400's, X500's, 322, 330, 332, 425, 445, 455)	See Parts
		Order Zone: For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the C&CE Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "John Deere Order Zone". Customers must contact your local JD Dealer.	
	LP3100	100 Lb. Push-Type Spreader	In Catalog
	LP25011	125 Lb. Pull-Type Spin Spreader	In Catalog
	LPB536JD	175 LB. Broadcast Spreader	In Catalog
	LP25012	175 Lb. Pull-Type Spin Spreader	In Catalog
	LP19490	25 Gallon Portable Sprayer	In Catalog
	LPPRT36JD	36 In. Tow Behind Lawn Roller	In Catalog
	LP20485	40 Gallon Tow Behind Sprayer Compatible with GT, GX, X500M-T and similar sized Lawn and Garden Tractors.	In Catalog
	LPAS40JD	40 In. Tow Behind Aerator-Spreader	In Catalog
	LPPA40JD	40 In. Tow Behind Plug Aerator	In Catalog
	LPSAT40JD	40 In. Tow Behind Spiker Aerator	In Catalog
	LPTA40JD	40 In. Tow Behind Thatcherator	In Catalog
	LPSTS42JD	42 in. Lawn Sweeper	In Catalog

Tow Behind Carts, Trailers, Spreaders, and Implements for RLE TractorsContinued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LPPA48JD	ATTACHMENTS FOR FIELD CONVERSION Continued 48 In. Tow Behind Plug Aerator Compatible with GT, GX, X500 M-T, X700 and similar-sized lawn and garden tractors.	In Catalog
	LP3050	50 Lb. Push-Type Spin Spreader	In Catalog
	LP25010	80 Lb. Pull-Type Spin Spreader	In Catalog
	LPPTK10	Poly Cart Hard Top	In Catalog
	LP19478	Tow Behind Sprayer, 15 Gallon	In Catalog
	LP19479	Tow Behind Sprayer, 25 Gallon	In Catalog
	LPPCT10JD	Utility Cart, 10P	In Catalog
	LPHDC18JD	Utility Cart, 18 The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with GT, GX, X500 M-T, X700 and similar-sized lawn and garden tractors.	In Catalog
	LP90117	Utility Carts Load Cover	In Catalog
	LPUT21JD	Utility Trailer, 21 The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized Lawn and Garden Tractors.	In Catalog